### TOPICAL PAST PAPER QUESTIONS WORKSHEETS

## AS & A Level Biology (9700) Paper 4

Exam Series: Feb/Mar 2017 - May/June 2023

Format Type B: Each question is followed by its answer scheme



### Introduction

Each Topical Past Paper Questions Workbook contains a comprehensive collection of hundreds of questions and corresponding answer schemes, presented in worksheet format. The questions are carefully arranged according to their respective chapters and topics, which align with the latest IGCSE or AS/A Level subject content. Here are the key features of these resources:

- 1. The workbook covers a wide range of topics, which are organized according to the latest syllabus content for Cambridge IGCSE or AS/A Level exams.
- 2. Each topic includes numerous questions, allowing students to practice and reinforce their understanding of key concepts and skills.
- 3. The questions are accompanied by detailed answer schemes, which provide clear explanations and guidance for students to improve their performance.
- 4. The workbook's format is user-friendly, with worksheets that are easy to read and navigate.
- 5. This workbook is an ideal resource for students who want to familiarize themselves with the types of questions that may appear in their exams and to develop their problem-solving and analytical skills.

Overall, Topical Past Paper Questions Workbooks are a valuable tool for students preparing for IGCSE or AS/A Level exams, providing them with the opportunity to practice and refine their knowledge and skills in a structured and comprehensive manner. To provide a clearer description of this book's specifications, here are some key details:

- Title: AS & A Level Biology (9700) Paper 4 Topical Past Paper Questions
- Subtitle: Exam Practice Worksheets With Answer Scheme
- Examination board: Cambridge Assessment International Education (CAIE)
- Subject code: 9700
- Years covered: Feb/Mar 2017 May/June 2023
- Paper: 4
- Number of pages: 1217
- Number of questions: 380



## Contents

1		gy and respiration 7
		Energy
	1.2	Respiration
2		cosynthesis 101
		Photosynthesis as an energy transfer process
	2.2	Investigation of limiting factors
3	Hom	neostasis 223
	3.1	Homeostasis in mammals
	3.2	Homeostasis in plants
4	Cont	rol and co-ordination 367
	4.1	Control and co-ordination in mammals
	4.2	Control and co-ordination in plants
5	Inhe	rited change 541
	5.1	Passage of information from parent to offspring
	5.2	The roles of genes in determining the phenotype
	5.3	Gene control
6		ction and evolution 691
		Variation  .  .  .  .  .  .  .  .  .
		Natural and artificial selection
	6.3	Evolution
7	Biod	iversity, classification and conservation 793
	7.1	Classification
		Biodiversity
	7.3	Conservation
8	Gene	etic technology 937
		Principles of genetic technology
		Genetic technology applied to medicine
	8.3	Genetically modified organisms in agriculture



6 CONTENTS



### 1.1 Energy

 $1.\ 9700\_w18\_qp\_42\ Q:\ 9$ 

- (a) Explain why carbohydrates, lipids and proteins have different relative energy values as substrates in respiration in aerobic conditions. [6]
- (b) Define the term respiratory quotient (RQ) and describe how you would carry out an investigation to determine the RQ of germinating barley seeds. [9]

[Total: 15]

1.1. ENERGY 9

#### ${\bf Answer:}$

Question	Answer	Marks
(a)	any six from different substrates have different numbers of, hydrogens / C-H bonds; lipids have (relatively) more, hydrogens / C-H bonds (than carbohydrates or proteins); hydrogens / C-H bonds, located in fatty acid (tails of lipids); breakdown / oxidation, of substrate provides hydrogen (atoms); for reduction of, NAD / FAD; (reduced, NAD / FAD) provides / releases, hydrogen to ETC; hydrogen (dissociates) into protons and electrons; ref. energy used to set up proton gradient; chemiosmosis / oxidative phosphorylation / AW; foo) more, ATP / energy, from lipids per unit mass (than, carbohydrates / proteins) or lipids, more energy dense / have higher (relative) energy value;	
(b)	RQ 1 (ratio of) carbon dioxide given out divided by oxygen taken in; 2 ref. volume / moles; R amount 3 per unit time;	!
	any eight from investigation  use respirometer; seeds placed on, mesh / gauze; KOH / NaOH / sodalime, to absorb carbon dioxide; manometer / capillary tube / syringe; movement of fluid (in manometer / capillary tube / syringe) = uptake of oxygen; keep, temperature / air pressure, constant; measure oxygen uptake after certain time; repeat without KOH / NaOH / sodalime; difference in manometer readings due to carbon dioxide given out;	

#### 1.2 Respiration

 $2.\ 9700\_m23\_qp\_42\ Q:\ 6$ 

(a) Fig. 6.1 is a diagram of a section through a mitochondrion.




Fig. 6.1

The four arrows, A, B, C and D, show the movement of molecules and ions.

Use the letters to identify all the arrows (one or more) that show:

Explain how a lack of oxygen affects oxidative phosphorylation.
[4]
[Total: 9]

Answer:

(c)

Question	Answer	Marks
(a)(i)	D;	1
(a)(ii)	D and C;	1
(b)	any three from:	3
	1 site of, link reaction / Krebs cycle ;	
	2 DNA/ribosomes, for production of proteins (used in respiration);	
	3 named example; e.g. enzymes / coenzymes / electron carriers;	
	4 production of, reduced FAD / reduced NAD, for oxidative phosphorylation ;	
	5 substrate-linked phosphorylation ;	

Question	Answer	Marks
(c)	any four from:	4
	process, stops/decreases, because:	
	1 no / fewer, electrons accepted by oxygen or oxygen is the final electron acceptor;	
	2 no / fewer, electrons, enter / move along, electron transport chain / ETC or ETC stops;	
	3 no /fewer, H* pumped into intermembrane space or no / less steep, proton gradient;	
	4 no/less, chemiosmosis;	
	5 reduced NAD / reduced FAD, not oxidised / or NAD / FAD, not recycled;	
	6 no/less, ATP produced;	
	7 AVP; e.g. no / less, pyruvate enters mitochondrion.	

[Total: 7]

3. 9700\_s23\_qp\_41 Q: 9

Many factors affect the rate of cellular respiration.

(a) Pyruvate carboxylase (PC) deficiency is a rare disease. The rate of respiration in the cells of a person with PC deficiency is much lower than normal.

The passage describes the occurrence of PC deficiency in human populations.

Complete the passage by using the most appropriate scientific terms.

	PC deficiency affects one in 250000 people. A person either has the disease or does not,
	so there are no intermediate forms of the disease. PC deficiency is caused by a genetic
	mutation in one gene. Whether a person develops the disease is not influenced by
	factors. The distribution of PC deficiency in human populations
	shows variation. [2]
(b)	Coenzymes are important in aerobic respiration.
	Outline the roles of named coenzymes in aerobic respiration.
	[5]

#### ${\bf Answer:}$

Question	Answer	Marks
(a)	1 environmental; 2 discontinuous;	2
(b)	any five from:	5
	coenzyme A: 1 accepts / binds to / transfers, acetyl (group); 2 acetyl / 2C fragment, + oxaloacetate → citrate; 3 (joins) link reaction and Krebs cycle;	
	<ul> <li>NAD / FAD:</li> <li>transfer / transport / carry / accept / reduced by, H<sup>+</sup> and e<sup>-</sup> / H (atoms) / hydrogen (atoms);</li> <li>ref. dehydrogenation (reactions) / dehydrogenase (enzymes);</li> <li>transport, to cristae / to inner mitochondrial membrane / to ETC / for oxidative phosphorylation;</li> <li>NAD (accepts H) in glycolysis and link reaction and Krebs cycle;</li> </ul>	

4. 9700\_s23\_qp\_42 Q: 1

(a) Glycolysis is a biochemical pathway that occurs in the cytoplasm of cells.

In glycolysis, a molecule of glucose is metabolised to two molecules of pyruvate. The process is outlined in Fig. 1.1.




Fig. 1.1

(i)	Explain why glucose is phosphorylated at the beginning of glycolysis.	
(ii)	Suggest one use of the reduced NAD that is produced in glycolysis.	
iii)	Name the type of phosphorylation reaction by which ATP is made during glycolysis.	[1]

(b)	Pyruvate can enter the mitochondrion by active transport.
	Describe the main conditions that are required for pyruvate to enter the mitochondrion by active transport.
	[3]
(c)	Pyruvate is involved in the link reaction in the matrix of the mitochondrion.
	Describe the link reaction.
	[3]
	[Total: 9]

15

Question	Answer	Marks
(a)(i)	any one from:	1
	glucose is activated / made reactive ;	
	becomes unstable ;	
	cannot leave cell ;	
	energy level increased;	
	concentration gradient maintained ;	
(a)(ii)	any one from:	1
	carrier / acceptor / provider, of, hydrogen (atoms) / electrons	
	provider of H ions and electrons ; R H ions alone	
	used for redox reactions;	
	used to reduce, ethanal / pyruvate ;	
(a)(iii)	substrate-linked / substrate level;	1
Question	Answer	Marks
(b)	any three from:	3
	1 (inner) mitochondrial membrane impermeable (to pyruvate);	
	2 carrier (protein) ; A symport / MPC (mitochondrial pyruvate carrier)	
	3 lower concentration of pyruvate outside mitochondrion ora	
	or against concentration gradient ;	
	4 oxygen available ;	
	5 ATP/energy;	
(c)	any three from:	3
	1 decarboxylation ; A description	
	2 dehydrogenation / oxidation, (of pyruvate); A description	
		1
	3 reduced NAD produced;	

- 5.  $9700_{s23}qp_{43}$  Q: 1
- (a) The Krebs cycle was named after the biochemist Sir Hans Krebs, who worked out the sequence in 1937.

Fig. 1.1 is an outline of the Krebs cycle.




Fig. 1.1

Identify substances **P**–**U**.

	P
	Q
	R
	s
	T
	U[3
(b)	Describe how ATP is produced from ADP in the Krebs cycle.

$\overline{}$
2
_
C
, -
_
-
_
Z
ш
-
$\overline{}$
_
_
_
2
_
◁
×
ш
-
<
_
-
<
_

C)	Describe <b>and</b> currency.				
		 	 	 	 [4]

[Total: 9]

Question	Answer	Marks
(a)	P – citrate A citric acid	3
	Q - NAD/NAD+	
	R – reduced NAD / NADH A NADH <sub>2</sub>	
	S – carbon dioxide / CO <sub>2</sub>	
	T – FAD	
	U – reduced FAD / FADH <sub>2</sub> ;;;	
	6 correct = 3 marks 5/4 correct = 2 marks 3/2 correct = 1 mark	
(b)	any two from:	2
	1 transfer of phosphate group to ADP / ADP phosphorylated / ADP + $P_i \rightarrow ATP$ ;	
	2 substrate-linked phosphorylation ; A substrate-level phosphorylation R if oxidative phosphorylation	
	3 enzyme (catalysed reaction);	

Question	Answer	Marks
(c)	any four from:	4
	1 small / water-soluble, so can move around <u>cell</u> ;	
	2 loss of phosphate / hydrolysis, leads to energy release ;	
	3 (release energy) immediately / in small packets or ref. 30.5 kJ (mol <sup>-1</sup> );	
	4 can be, recycled / regenerated or ATP ≒ ADP + Pi;	
	5 link between energy-yielding and energy-requiring reactions / AW;	
	6 high turnover / described;	
	7 ref to ATPase;	

	6.	9700	m22	qp	42	Q:	7
--	----	------	-----	----	----	----	---

(a)	In aerobic respiration, ATP is synthesised by substrate-linked reactions and by oxidative phosphorylation.									
	Outline the process of oxidative phosphorylation.									

r:

[Total: 11]

WWW.EXAMINENT.COM

- (b) In an experiment on respiration, two different populations of yeast cells were used: A and B.
  - Yeast cells in population A had no mitochondria in their cells.
  - Yeast cells in population **B** did have mitochondria in their cells.

Both populations were provided with glucose in solution and the concentration of ATP was measured every minute for seven minutes.

Fig. 7.1 shows the results of the experiment.




Fig. 7.1

shown i	n Fig. 7.1.			na populatio	
		 	 	 	[4]

Question	Answer	Marks					
(a)	any seven from:						
	1 reduced, NAD / FAD;						
	2 releases hydrogen / hydrogen splits into proton and electron ;						
	3 ref. to, inner mitochondrial membrane / cristae;						
	4 electrons pass through, electron transport chain / ETC;						
	5 ref. to energy release ;						
	6 protons transferred, through inner membrane / into intermembrane space ;						
	7 proton gradient established / high proton concentration in intermembrane space ;						
	8 protons diffuse through ATP synth(et)ase;						
	9 ATP produced from ADP and Pi;						
	10 ref. to chemiosmosis;						
	11 oxygen acts as final electron acceptor (to form water) / described;						
Question	Answer	Marks					
(b)	any four from:	4					
	1 population <b>B</b> produces more ATP (than population <b>A</b> ); ora						
	2 production of ATP increases at a higher rate for population <b>B</b> (than for population <b>A</b> ); ora						
	3 paired data quote ;						
	4 population <b>B</b> carries out, glycolysis / substrate-linked phosphorylation, <b>and</b> oxidative phosphorylation;						
	5 population <b>A</b> carries out (only) glycolysis / respiration in anaerobic conditions / (ethanol) fermentation / substrate-linked phosphorylation or						
	population A cannot carry out oxidative phosphorylation ;						



7.  $9700 \_s22 \_qp \_41 \ Q: 3$ 

Respiration is a process that results in the synthesis of ATP. The ATP can be used within the cell for energy-requiring reactions and processes.

There are four stages in aerobic respiration: glycolysis, the link reaction, the Krebs cycle and oxidative phosphorylation.

(a)	The ATP synthesised in respiration can be used to make larger and more complex biolog molecules from smaller molecules.	jical
	Name the type of reaction that occurs when larger more complex biological molecules made from smaller molecules.	are
		[1]
(b)	The first part of glycolysis uses ATP.	
	Explain why ATP is needed in the first part of glycolysis.	
		[2]
(c)	State the precise locations of substrate-linked phosphorylation reactions in aerobic respirat	ion
		[1]
(d)	Explain what happens to pyruvate in the link reaction in aerobic respiration.	
		[2]

(e)	Chemiosmosis is a process that occurs in mitochondria during aerobic respiration and in chloroplasts during photosynthesis.
	Describe the differences between the process of chemiosmosis in mitochondria and the process of chemiosmosis in chloroplasts.

[Total: 9]

23

Question		Ans	wer	Marks		
(a)	anabolic / cond	ensation / polymerisation ;		1		
(b)	1 to, phosph	orylate / add phosphate to, glucose ;		2		
	3 activates	om: ose leaving the cell ; glucose / makes glucose less stable ; uctose (1,6) bi(s)phosphate ;				
(c)	cytoplasm and	mitochondrial matrix ;		1		
Question	n Answer					
(d)	2 dehydroge	lated / loses carbon dioxide ; enated / oxidised / loses H ; etyl, (group) joins coenzyme A to make acetyl co	Α;	2		
(e)	any <b>three</b> from	r:		3		
		mitochondria	chloroplasts			
	1	oxidative phosphorylation	photophosphorylation ;			
	2	inner mitochondrial membrane / crista(e)	thylakoid membrane ;			
	3	reduced NAD / reduced FAD, give e <sup>-</sup> / H <sup>+</sup>	photolysis / water / PS1 / chlorophyll, give e⁻ / H⁺ ;			
	4	(H⁺ →) intermembrane space	$(H^+  o)$ thylakoid, space / lumen ;			
	5	oxygen, final, e <sup>-</sup> /H <sup>+</sup> , acceptor	NADP final, e⁻/ H⁺, acceptor ;			
	6	(makes) water / H <sub>2</sub> O	(makes) reduced NADP;			

[Total: 9]

					_	
8.	9700	s22	αp	42	():	.3

Aerobic respiration occurs when oxygen is available. A much greater energy yield is obtained from aerobic respiration than from respiration in anaerobic conditions.

(a)	Explain why the link reaction only occurs when oxygen is available.	
		[4]
(b)	Outline the stage of aerobic respiration that occurs in the cytoplasm of eukaryotic cells.	
		[5]

#### ${\bf Answer:}$

Question	Answer	Marks
(a)	any four from:	4
	accept ora 1 pyruvate converted to, acetyl group / 2C group / acetyl CoA (in link reaction);	
	2 NAD needed (in link reaction);	
	3 (where) NAD becomes reduced ;	
	4 reduced NAD goes to ETC;	
	5 ETC / oxidative phosphorylation, works if oxygen is present or	
	oxygen is the final electron acceptor;	
	6 (so) reduced NAD is oxidised / NAD is regenerated;	
(b)	any five from:	5
	1 glycolysis;	
	2 phosphorylation of glucose;	
	3 splitting of fructose (1,6) bi(s)phosphate / AW;	
	4 (into) two, triose phosphate / TP;	
	5 (TP) oxidised / dehydrogenated, to pyruvate;	
	6 net 2 ATP / 4 ATP, produced;	
	7 (2) reduced NAD produced;	

_
2
~
-
C
L
-
⊢
٠.
z
-
_
-
_
_
7
۷
<
>
۲.
ш
-
-
٠.
-
-
-
<
-

9. 91	00_s22_qp_43_Q; 3
(a)	ATP is synthesised from ADP and $P_i$ in a phosphorylation reaction.
	State the <b>two</b> different ways in which this phosphorylation reaction occurs in aerobic respiration.
	[2]
(b)	Coenzymes are important in all four stages of aerobic respiration.
	Describe and explain the role of the coenzymes NAD and FAD in aerobic respiration.
(-)	[6]
(c)	The enzyme pyruvate dehydrogenase catalyses the link reaction. Pyruvate dehydrogenase is inhibited when the ratio of acetyl coenzyme A to coenzyme A increases.
	Suggest the importance of this inhibition to the functioning of the cell.
	[2]
	[Total: 10]

Question	Answer	Marks
(a)	any two from:	2
	substrate-linked (phosphorylation) ; A substrate level phosphorylation	
	chemiosmosis / oxidative (phosphorylation);	
(b)	any six from:	6
	1 hydrogen / electron, carriers ; <b>R</b> hydrogen ions / hydrogen molecules	
	2 in glycolysis NAD becomes reduced ;	
	3 (so that) triose phosphate becomes, oxidised / dehydrogenated;	
	4 in the link reaction NAD becomes reduced;	
	5 (so that) pyruvate becomes, oxidised / dehydrogenated	
	or for production of acetyl coenzyme A ;	
	6 in the Krebs cycle both NAD <b>and</b> FAD become reduced;	
	7 to regenerate oxaloacetate;	
	8 (deliver, hydrogen / H <sup>+</sup> and e <sup>-</sup> ), to inner mitochondrial membrane / to cristae / to ETC / for oxidative phosphorylation / for chemiosmosis;	
	9 ref. to ATP production;	
	10 ref. to recycling of, NAD / FAD;	
Question	Answer	Marks
(c)	any two from:	2
	1 ref. to increase / decrease / control, of (rate of the) link reaction;	
	2 allows build-up of acetyl CoA to be used in the Krebs cycle;	
	3 enzyme becomes active again when, coenzyme A increases / ratio falls ;	
	4 allows more coenzyme A, to enter / return to, the link reaction ; A not enough CoA to enter the link reaction ora	
	5 AVP; e.g. end product inhibition	



- $10.\ 9700\_w22\_qp\_41\ Q:\ 3$
- (a) The results of investigations carried out on mitochondria show how the structure of a mitochondrion is related to its role in aerobic respiration.
  - Intact mitochondria (not damaged) were removed from cells.
  - A technique was used to remove the outer mitochondrial membrane, leaving the inner membrane intact.
  - The inner mitochondrial membrane was separated from the contents of the matrix so that both could be analysed.

The removal of the outer membranes of mitochondria involves placing the organelles

` ,	in pure water. This results in the rupture (bursting) of the outer membrane. The inner mitochondrial membrane does not rupture and remains intact.
	Suggest <b>and</b> explain why the inner membrane of a mitochondrion remains intact when the organelle is placed in pure water.
	[2]
(ii)	Name <b>three</b> molecules, other than coenzymes, that are found in the mitochondrial matrix <b>and</b> explain their role in aerobic respiration.
	[3]
iii)	The inner membrane contains a very high proportion of the molecule cardiolipin. Cardiolipin makes the membrane impermeable to some ions.
	Suggest why the inner membrane contains a very high proportion of cardiolipin.

......[1]