

# TOPICAL PAST PAPER QUESTIONS WORKSHEETS

---

## IGCSE Biology (0610)

Paper 4 (Extended)

---

**Exam Series: Feb/Mar 2017 – May/Jun 2023**

**Format Type A:**

**Answers to all questions are provided as an appendix**



**EXAMINENT.COM**  
Eminent Exam Preparation Resources



# Introduction

Each Topical Past Paper Questions Compilation contains a comprehensive collection of hundreds of questions and corresponding answer schemes, presented in worksheet format. The questions are carefully arranged according to their respective chapters and topics, which align with the latest IGCSE or AS/A Level subject content. Here are the key features of these resources:

1. The workbook covers a wide range of topics, which are organized according to the latest syllabus content for Cambridge IGCSE or AS/A Level exams.
2. Each topic includes numerous questions, allowing students to practice and reinforce their understanding of key concepts and skills.
3. The questions are accompanied by detailed answer schemes, which provide clear explanations and guidance for students to improve their performance.
4. The workbook's format is user-friendly, with worksheets that are easy to read and navigate.
5. This workbook is an ideal resource for students who want to familiarize themselves with the types of questions that may appear in their exams and to develop their problem-solving and analytical skills.

Overall, Topical Past Paper Questions Workbooks are a valuable tool for students preparing for IGCSE or AS/A level exams, providing them with the opportunity to practice and refine their knowledge and skills in a structured and comprehensive manner. To provide a clearer description of this book's specifications, here are some key details:

- Title: Cambridge IGCSE Biology (0610) Paper 4 Topical Past Paper Questions
- Subtitle: Exam Practice Worksheets With Answer Scheme
- Examination board: Cambridge Assessment International Education (CAIE)
- Subject code: 0610
- Years covered: Feb/Mar 2017 – May/Jun 2023
- Paper: 4
- Number of pages: 967
- Number of questions: 279



# Contents

<b>1</b>	<b>Characteristics and classification of living organisms</b>	<b>7</b>
<b>2</b>	<b>Organisation of the organism</b>	<b>13</b>
<b>3</b>	<b>Movement into and out of cells</b>	<b>17</b>
<b>4</b>	<b>Enzymes</b>	<b>21</b>
<b>5</b>	<b>Plant nutrition</b>	<b>25</b>
<b>6</b>	<b>Human nutrition</b>	<b>39</b>
<b>7</b>	<b>Transport in plants</b>	<b>79</b>
<b>8</b>	<b>Transport in animals</b>	<b>121</b>
<b>9</b>	<b>Diseases and immunity</b>	<b>155</b>
<b>10</b>	<b>Gas exchange in humans</b>	<b>203</b>
<b>11</b>	<b>Respiration</b>	<b>223</b>
<b>12</b>	<b>Excretion in humans</b>	<b>249</b>
<b>13</b>	<b>Coordination and response</b>	<b>265</b>
<b>14</b>	<b>Drugs</b>	<b>335</b>
<b>15</b>	<b>Reproduction</b>	<b>355</b>
<b>16</b>	<b>Inheritance</b>	<b>395</b>
<b>17</b>	<b>Variation and selection</b>	<b>485</b>
<b>18</b>	<b>Organisms and their environment</b>	<b>513</b>
<b>19</b>	<b>Human influences on ecosystems</b>	<b>557</b>
<b>20</b>	<b>Biotechnology and genetic modification</b>	<b>707</b>
<b>A</b>	<b>Answers</b>	<b>789</b>

## Chapter 5

# Plant nutrition

7. 0610\_s23\_qp\_41 Q: 2

**(a)** A student investigated osmosis in potato plant cells.

He immersed cubes of potato tissue in water and different concentrations of sucrose solution for 30 minutes.

The masses of the potato cubes were measured before and after immersion.

The percentage changes in mass were calculated.

Table 2.1 shows the results.

**Table 2.1**

concentration of sucrose solution / $\text{mol dm}^{-3}$	mass of potato cube before immersion / g	mass of potato cube after immersion / g	percentage change in mass
0.00	1.32	1.50	13.64
0.20	1.34	1.49	11.19
0.40	1.30	1.34	3.08
0.60	1.33	1.29	-3.01
0.80	1.22	1.12	-8.20
1.00	1.28	1.11	

**(i)** Using the information in Table 2.1, calculate the percentage change in mass at  $1.00 \text{ mol dm}^{-3}$ .

Give your answer to **two** decimal places.

Space for working.

..... %  
[3]

- (ii) Using the information in Table 2.1, explain the difference in the results between the  $0.6 \text{ mol dm}^{-3}$  and the  $0.8 \text{ mol dm}^{-3}$  sucrose solutions.

Use the term water potential in your answer.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [5]

- (iii) Describe the expected appearance of a cell from a potato cube that has been immersed in distilled water for 30 minutes.

.....

.....

.....

.....

..... [2]

- (b) Describe how the process of active transport differs from the process of osmosis.

.....

.....

.....

.....

.....

.....

..... [3]



- (c) State the type of plant cells that use active transport to absorb mineral ions from the environment.

..... [1]

- (d) Explain the effect of a lack of magnesium ions on the colour of plant leaves.

.....

.....

.....

.....

..... [2]

[Total: 16]

---



- (b)  $C_6H_{12}O_6$  is one of the products of photosynthesis.

State the chemical formula of the **other** product.

..... [1]

- (c) Outline how the carbohydrates made during photosynthesis are used in plants.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
.....  
..... [4]

[Total: 11]

9. 0610\_s19\_qp\_41 Q: 2

The rate of photosynthesis of terrestrial plants can be determined by measuring the uptake of carbon dioxide.

- (a) Explain why plants take up carbon dioxide during photosynthesis.

.....

.....

.....

.....

..... [2]

- (b) The rate of photosynthesis of parts of individual leaves can be measured using a hand-held device as shown in Fig. 2.1.



transparent chamber

**Fig. 2.1**

This apparatus allows air to flow through the transparent chamber that encloses part of the leaf. The apparatus measures the carbon dioxide concentration of the air entering and leaving the chamber.

Explain how the results from the apparatus can be used to calculate the rate of photosynthesis.

.....

.....

.....

..... [2]

- (c) A student used the apparatus shown in Fig. 2.1 to investigate the effect of temperature on the rate of photosynthesis of the leaves of Chinese plantain, *Plantago asiatica*, at two different concentrations of carbon dioxide, **A** and **B**.

Fig. 2.2 shows the results of the investigation.




Fig. 2.2

- (i) State **one** environmental factor that should have been kept constant in this investigation.

..... [1]

- (ii) Describe the effect of temperature on the rate of photosynthesis when carbon dioxide concentration **A** was supplied.

Use the data from Fig. 2.2 in your answer.

.....

.....

.....

.....

.....

.....

..... [3]

- (iii) Calculate the percentage increase in the rate of photosynthesis at 30 °C when the carbon dioxide concentration was increased from **A** to **B** as shown in Fig. 2.2.

Show your working and give your answer to the nearest whole number.

..... %  
[2]

- (iv) Explain the effect of increasing temperature on the rate of photosynthesis for carbon dioxide concentration **B**.

Use the term *limiting factor* in your answer.

.....

.....

.....

.....

.....

.....

..... [3]

- (v) The student concluded that carbon dioxide concentration is the factor limiting the rate of photosynthesis between 30 °C and 35 °C for the results shown for **A** in Fig. 2.2.

State the evidence for this conclusion.


.....

.....

..... [1]

- (d) A similar investigation was carried out on Arizona honeysweet, *Tidestromia oblongifolia*, that grows in Death Valley in California where the highest temperatures may be greater than 45 °C.

The results are shown in Fig. 2.3.



**Fig. 2.3**

Predict **and** explain what would happen to the rate of photosynthesis if the investigation is continued at temperatures higher than 45 °C.

.....

.....

.....

.....

..... [2]

[Total: 16]



10. 0610\_s19\_qp\_43 Q: 2


- (a) State the **word** equation for photosynthesis.

..... [2]

- (b) Scientists investigated the effect of light intensity on the rate of photosynthesis in the leaves of eucalyptus trees at two different concentrations of carbon dioxide, **A** and **B**.

The results are shown in Fig. 2.1.

rate of photosynthesis  
/ $\mu\text{mol per m}^2 \text{ per s}$



**Key:**

**A** carbon dioxide concentration  
140 ppm

**B** carbon dioxide concentration  
1000 ppm

**Fig. 2.1**

- (i) Suggest **and** explain why the scientists kept the temperature of the leaves at 20 °C while they recorded results.

.....

.....

.....

.....

..... [2]

- (ii) Calculate the percentage increase in the rate of photosynthesis at a light intensity of 1250 arbitrary units when the carbon dioxide concentration was increased from 140 ppm to 1000 ppm.

Show your working and give your answer to the nearest whole number.

..... %  
[3]

- (iii) Describe the effect of increasing light intensity on the rate of photosynthesis when the concentration of carbon dioxide was 140 ppm.

.....

.....

.....

.....

.....

.....

..... [3]

- (iv) Explain the effect of increasing light intensity on the rate of photosynthesis when the concentration of carbon dioxide was 1000 ppm.

Use the term *limiting factor* in your answer.

.....

.....

.....

.....

.....

.....

.....

.....

..... [4]

[Total: 14]

---

## Chapter 6

# Human nutrition

11. 0610\_s21\_qp\_42 Q: 2

The classification of giant pandas, *Ailuropoda melanoleuca*, is debated by many scientists.

Fig. 2.1 shows a giant panda eating bamboo plants.



Fig. 2.1

Fig. 2.2 shows a red panda, *Ailurus fulgens*, and a polar bear, *Ursus maritimus*.



red panda eating bamboo plants



polar bear eating fish

Fig. 2.2

- (a) State **one** dietary component that is more likely to be found in bamboo plants than in fish.

..... [1]

- (b) (i) State **two** features, visible in Fig. 2.1 and Fig. 2.2, that identify the three animals as all belonging to the same vertebrate group.

1 .....

2 .....

[2]

(ii) DNA can also be used to classify species.

Molecular biologists compared the DNA base sequences of eight species from the same vertebrate group. They used the differences to draw a classification diagram.

Fig. 2.3 shows the classification diagram for these eight species. The shorter the horizontal distance from two species to the branching point that they share, the more similar their DNA sequences are and the more closely the two species are related.

The scale on Fig. 2.3 shows the time at which the molecular biologists estimate that each branching point occurred.




Fig. 2.3

Morphology can also be used to classify species. Some scientists think that morphology suggests that the giant panda is more closely related to the red panda than it is to the polar bear.

Discuss the evidence for **and** against the giant panda being more closely related to the red panda than it is to the polar bear. Use the information in Fig. 2.1, Fig. 2.2 and Fig. 2.3 in your answer.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [5]


(iii) State one **other** type of evidence that is used to classify species.

..... [1]

[Total: 9]

12. 0610\_w22\_qp\_41 Q: 1

**(a)** Fig. 1.1 is a side view of a human skull indicating the four types of teeth and the jaws.



**Fig. 1.1**

**(i)** State the function of human teeth.

.....

.....

..... [1]

**(ii)** State the name of the visible outer layer of the teeth.

..... [1]

**(iii)** Explain the process of tooth decay in humans.

.....

.....

.....

.....

.....

.....

..... [3]



(b) Mammals can be classified according to the position and shape of their teeth.

Fig. 1.2 shows the skulls of seven mammals.




Fig. 1.2

(i) Use the key to identify each species shown in Fig. 1.2.

Write the letter of each species (**A** to **G**) in the correct box in the key.

### Key

1 (a)	two or more different types of teeth	go to 2	
(b)	fewer than two different types of teeth	go to 3	
2 (a)	have wide gap between front and back teeth in both jaws	go to 4	
(b)	have no wide gap between front and back teeth in both jaws	go to 6	
3 (a)	all teeth of similar shape	<i>Orcinus orca</i>	
(b)	no teeth on either jaw	<i>Myrmecophaga tridactyla</i>	
4 (a)	no incisors in upper jaw	<i>Cervus elephas</i>	
(b)	incisors in both upper and lower jaw	go to 5	
5 (a)	incisors on lower jaw longer than incisors on upper jaw	<i>Macropus rufus</i>	
(b)	incisors on upper and lower jaw are similar in size	<i>Equus ferus</i>	
6 (a)	incisors on lower jaw project forwards	<i>Lemur catta</i>	
(b)	incisors on lower jaw do not project forwards	<i>Pteropus niger</i>	

[4]

(ii) Killer whales, *Orcinus orca*, are mammals.

State **two internal** features you would expect to find in a killer whale that you would **not** find in a fish.

1 .....

2 .....

[2]

(iii) State the name of the group of animals that includes mammals and fish.

..... [1]

[Total: 12]

13. 0610\_w20\_qp\_42 Q: 2

Fig. 2.1 is a vertical section of a human molar tooth and surrounding structures.




Fig. 2.1

(a) State the names of the parts labelled **A** to **D** on Fig. 2.1.

- A** .....
- B** .....
- C** .....
- D** .....

[4]

(b) Describe **and** explain the function of molar teeth.

- .....
- .....
- .....
- .....
- .....
- .....
- .....

[3]

(c) Fig. 2.2 is an X-ray of decay in a molar tooth.



decayed molar tooth

**Fig. 2.2**

Explain how tooth decay occurs.

.....

.....

.....

.....

.....

.....

.....

.....

..... [4]

[Total: 11]

14. 0610\_s18\_qp\_42 Q: 1

- (a) Red pandas, *Ailurus fulgens*, and humans have a similar arrangement of teeth.

Fig. 1.1 shows a section through one tooth of a red panda. Fig. 1.2 shows the side view of the lower jaw of a red panda.




Fig. 1.1




Fig. 1.2

- (i) State the names of the structures labelled **A** to **F** in Fig. 1.1 and Fig. 1.2.

**A** .....

**B** .....

**C** .....

**D** .....

**E** .....

**F** .....

[3]

- (ii) State the type of digestion that breaks down large pieces of food.

..... [1]

- (b) Food that sticks to the teeth can be used by bacteria for anaerobic respiration.

This type of respiration releases a substance that can cause tooth decay.

- (i) State the type of substance released by the bacteria, during respiration, that causes tooth decay.

..... [1]

- (ii) State the names of the **two** parts of a tooth that are dissolved by the substance released by bacterial respiration.

1 .....

2 .....

[2]

- (c) The teeth of red pandas do not decay as much as human teeth.

Suggest the component of a human diet that causes teeth to decay as a result of bacterial respiration.

..... [1]

[Total: 8]

15. 0610\_s17\_qp\_42 Q: 4

A balanced diet is required to ensure healthy weight gain as children grow.

- (a) Explain the term *balanced diet*.

.....  
 .....  
 .....  
 .....  
 ..... [3]

- (b) A doctor diagnosed a young child with marasmus.

Describe the symptoms of marasmus.

.....  
 .....  
 .....  
 .....  
 .....  
 .....  
 ..... [3]

(c) The child with marasmus was put on a special diet.

He was given fortified milk, which is milk that has extra nutrients added to it.


The child was encouraged to drink as much fortified milk as he wanted over a period of seven months.

Table 4.1 shows the composition of the fortified milk given to the child and the composition of cow's milk for comparison.

**Table 4.1**

type of milk	milk composition			
	percentage of protein	percentage of carbohydrate	percentage of fat	energy/kJ dm <sup>-3</sup>
fortified milk	16.5	57.0	17.0	5468
cow's milk	3.3	4.6	3.9	2845

The body mass of the child who had marasmus and the mean body mass of healthy children of the same age were recorded. The data is shown in Fig. 4.1.



**Fig. 4.1**

Using the information in Table 4.1 and Fig. 4.1, describe **and** explain the importance of diet when treating children affected by marasmus.

.....[6]

**(d)** It is important that children with marasmus produce enough bile.

Describe the role of bile in the digestion of fats.


[3]

**[Total: 15]**



16. 0610\_s23\_qp\_41 Q: 1

(a) Fig. 1.1 is a diagram of the digestive system.



**Fig. 1.1**

Each letter may be used once, more than once or not at all.

State the letter of the part shown in Fig. 1.1:

that produces bile .....

that produces gastric juice .....

that produces urea .....

where maltose is digested .....

where trypsin acts. ....

[5]

(b) A student investigated the effect of bile on the digestion of fat in milk.

They set up three different test-tubes:

- test-tube **A** contained milk and bile
- test-tube **B** contained milk and lipase
- test-tube **C** contained milk, lipase and bile.

They used an indicator that is pink in alkaline solutions and colourless in acidic solutions. They added the same volume of indicator to each test-tube.

The student observed and recorded the colour of the contents of each test-tube at 0 minutes, 20 minutes and 40 minutes.

Table 1.1 shows the results of the investigation.

**Table 1.1**

test-tube	indicator colour observed		
	0 minutes	20 minutes	40 minutes
<b>A</b>	pink	pink	pink
<b>B</b>	pink	pink	colourless
<b>C</b>	pink	colourless	colourless

(i) Explain the results for test-tubes **B** and **C** in Table 1.1.

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... [4]

(ii) Explain the purpose of test-tube **A** in Table 1.1.

.....

.....

.....

.....


..... [2]

The action of lipase is affected by temperature.

Fig. 1.2 shows the axes for a graph of the effect of temperature on the activity of lipase.

Complete the graph by:

- drawing a line to show the expected effect of temperature on the activity of lipase
- adding a label line and a label to show the point at which all the lipase has been denatured.



**Fig. 1.2**

[2]

(d) Explain why lipase cannot be used to catalyse the breakdown of proteins.

.....

.....

.....

.....

.....

.....

..... [3]

[Total: 16]

17. 0610\_s23\_qp\_42 Q: 7

Complete the sentences about enzymes by writing a suitable word or phrase in each of the spaces provided.

Enzymes are involved in chemical digestion which produces small .....  
molecules that can be absorbed into the blood.

Two examples of protease enzymes are pepsin and trypsin. Pepsin is produced by the  
..... and requires acidic conditions. These conditions are created by  
the release of ..... , which provides the optimum pH for pepsin activity  
and also kills harmful .....

The ..... produces trypsin which breaks down protein in  
..... pH conditions. These conditions are created by a substance called  
..... , which neutralises the gastric juices and also has an important role  
in the ..... of fats and oils.

[8]

18. 0610\_w22\_qp\_41 Q: 2

Digestive enzymes catalyse the breakdown of large insoluble molecules.

- (a) (i) Explain why it is important that large insoluble molecules are broken down by chemical digestion.

.....  
 .....  
 .....  
 ..... [2]

- (ii) State the name of the substance that is the solvent for most molecules that have been digested by enzymes.

..... [1]

- (b) The activity of two protease enzymes, **A** and **B**, was measured at different pHs. Both enzymes are found in the human alimentary canal.

The results are shown in Fig. 2.1.




Fig. 2.1



6. 0610\_w18\_ms\_41 Q: 6

Answer		Mark	Partial Marks												
(a)(i)	reflex (action) ;	1													
(a)(ii)	contains antibodies / passive immunity / <i>idea of</i> fighting infections ; bonding with mother /AW ; is at a suitable body temperature ; sterile / less risk of infection / contamination ; convenience / always available / no preparation ; cheap / free ; easy to digest / less risk of colic / less risk of diabetes in child ; no additives / less risk of allergies ; <i>idea of</i> volume is controlled / no over-feeding ; nutrient requirements met / change with age / change with development ; AVP ;;	4													
(b)(i)	<table><tr><td>enzyme</td><td>substrate</td><td>product(s)</td></tr><tr><td>amylase</td><td>starch</td><td>glucose / maltose ;</td></tr><tr><td>maltase</td><td>maltose</td><td>glucose ;</td></tr><tr><td>protease</td><td>protein</td><td>amino acids ;</td></tr></table>	enzyme	substrate	product(s)	amylase	starch	glucose / maltose ;	maltase	maltose	glucose ;	protease	protein	amino acids ;	3	
enzyme	substrate	product(s)													
amylase	starch	glucose / maltose ;													
maltase	maltose	glucose ;													
protease	protein	amino acids ;													
(b)(ii)	high temperatures denature enzymes / AW ; low temperatures result in low energy / fewer collisions / slower reactions / AW ; enzymes work best / most efficient at optimum temperature ;	2													
(b)(iii)	pH ; enzyme concentration ; substrate concentration ;	1													

7. 0610\_s23\_ms\_41 Q: 2

Question	Answer	Marks	Guidance
(a)(i)	-13.28 (%) ;;;	3	MP1 for correct selection of data from Table 2.1 = 1.11 – 1.28 <i>or</i> (-)0.17 MP2 correct calculation (-0.17 <i>or</i> 1.11 – 1.28 / 1.28) × 100 <i>or</i> -13.28125 MP3 answer rounded correctly to two decimal places with a minus sign
(a)(ii)	<i>any five from:</i> potato (cube) in 0.8 (mol dm <sup>-3</sup> solution) loses greater (percentage) mass / <i>ora</i> ; movement of water out / loss of water, is cause of mass loss ; water moves from an area of high water potential to an area of low water potential / AW ; water potential of 0.8 (mol dm <sup>-3</sup> solution) is lower than the water potential of the 0.6 (mol dm <sup>-3</sup> solution) ; greater / steeper, water potential gradient in 0.8 (mol dm <sup>-3</sup> ) than in 0.6 (mol dm <sup>-3</sup> ) ; (relatively) <u>more water</u> leaves the potato (cube) in 0.8 (mol dm <sup>-3</sup> solution) ;	5	
(a)(iii)	<i>any two from:</i> (cell is) swollen / large(r) / big(ger) / wide(r) / AW ; (cell is) turgid ; vacuole is, swollen / large(r) / big(ger) / wide(r) / AW ; cell wall bulges / AW ; cell membrane / cytoplasm / cell contents, presses on cell wall / AW ;	2	
(b)	<i>any three from:</i> uses energy (from respiration / mitochondria) ; (transport / movement is) against a concentration gradient / AW ; involves movement of, sugars / ions / substance(s) other than water / AW ; involves protein <u>carriers</u> ;	3	
(c)	root hair (cells) ;	1	

Question	Answer	Marks	Guidance
(d)	(leaves are) yellow / (leaves show) chlorosis ; magnesium required for making chlorophyll ;	2	

8. 0610\_s23\_ms\_41 Q: 4

Question	Answer	Marks	Guidance
(a)	<p><i>any six from:</i></p> <p><b>LIGHT</b>            (B and C as light intensity increases) the rate (of photosynthesis) increases and remains constant / AW ;            rates (of photosynthesis) are the same at low(est) light intensities ;            light provides <u>energy</u> (for photosynthesis) ;            where the line rises / initially, light intensity is, limiting / the limiting factor ;            line(s) / rate, levels off where light intensity is <b>not</b> limiting ;            in <b>B</b> light intensity becomes limiting at higher light intensity than <b>C</b> / <b>ora</b> ;</p> <p><b>CARBON DIOXIDE</b>  <i>Idea that</i> line C levels off, at a lower rate (of photosynthesis) / lower light intensity ;            carbon dioxide (concentration) is, lower for <b>C</b> / 0.04% vs 0.4% ;            carbon dioxide is, reactant / substrate / raw material / needed, for photosynthesis ;            in <b>C</b> carbon dioxide is a limiting factor at a lower light intensity /            in <b>B</b> carbon dioxide is a limiting factor at a higher light intensity ;</p> <p><b>TEMPERATURE</b>  <i>idea that</i> temperature is limiting for <b>B</b> at high light intensities ;</p>	<b>6</b>	I if C given as well (as no evidence for C)

Question	Answer	Marks	Guidance
(b)	O <sub>2</sub> ;	<b>1</b>	
(c)	<p><i>any four from:</i></p> <p>(glucose) used, in respiration / to provide energy / to release energy / as an energy store ;            (glucose) converted to / stored as, starch ;            (glucose) converted to sucrose ;            sucrose for, translocation / transport (in the phloem) / sent to sink(s) ;            (glucose / fructose / sucrose) in nectar ;            (nectar) to attract, insects / pollinators ;            (glucose / fructose / sucrose) in fruits (to attract animals) ;            (glucose) converted to cellulose ;            cellulose to build cell walls ;            lignin for cell walls ;            used to make, amino acids / fatty acids ;            AVP ;</p>	<b>4</b>	e.g., used to make chlorophyll / (DNA/RNA) bases



9. 0610\_s19\_ms\_41 Q: 2

	Answer	Mark	Partial Marks
(a)	carbon dioxide is, raw material / substrate / reactant / AW ; concentration of carbon dioxide is higher outside leaf than inside (so carbon dioxide diffuses into the leaf) ;	2	
(b)	subtract the concentration of carbon dioxide at the end from the concentration at the start / AW ; divide by the time (taken) / per unit time ; ref. to taking (rate of) respiration into account ;	2	
(c)(i)	light <u>intensity</u> ; water (supply) ; humidity ;	1	
(c)(ii)	increases and, reaches a plateau / remains constant / 'levels off' ; increases (between 10 °C) to 30 °C / levels off at 30 °C ; any comparative use of figures for rate with units at least once ;	3	
(c)(iii)	36 ;;	2	
(c)(iv)	<u>temperature</u> is the limiting factor (over whole range) ; increased temperature increases, <u>kinetic</u> energy / <u>KE</u> , (of molecules) ; increases rate of diffusion of carbon dioxide (into leaf) ; temperature, influences / affects, (activity of) <u>enzymes</u> ; <i>idea of</i> more (effective) collisions between substrate molecules and enzymes (in plant) / more enzyme-substrate complexes formed ; more carbon dioxide is, fixed / used in photosynthesis / converted into sugar / AW ; carbon dioxide (concentration) is <b>not</b> limiting ;	3	
(c)(v)	<b>B shows that:</b> rate of photosynthesis is, higher / continues to increase, if carbon dioxide is increased (at all temperatures / AW) ;	1	
(d)	<b>prediction:</b> rate of photosynthesis, remains constant / decreases / slows ;  <b>any explanation one from:</b> enzymes / active sites, are denatured (at high temperatures) ; stomata close, so, little / no, carbon dioxide can enter leaves ; plant is adapted to survive at high temperatures ;	2	

10. 0610\_s19\_ms\_43 Q: 2

	Answer	Mark	Partial Marks
(a)	carbon dioxide + water $\rightarrow$ ; glucose $\square$ oxygen ;	2	
(b)(i)	temperature is a factor that affects the rate of photosynthesis ; <i>reference to</i> kinetic energy ; <i>idea of</i> effect of temperature, on enzymes / diffusion rate (of carbon dioxide) ; <i>idea that</i> temperature is a variable that should be standardised ; AVP ;	2	
(b)(ii)	74 ;;;	3	
(b)(iii)	rate (of photosynthesis) increases and, reaches a plateau / AW ; rate (of photosynthesis) increases until 1750 (a.u) / 25 $\square$ mol per m <sup>2</sup> per s ; any comparative use of figures for rate ;	3	
(b)(iv)	light intensity is the <u>limiting</u> factor, at all light intensities used / AW ; because rate of photosynthesis does not level off (even at high light intensities) ; carbon dioxide / temperature / chlorophyll / another factor, was not a <u>limiting</u> factor ; <i>correct reference to</i> (light) <u>energy</u> ; light is absorbed by chlorophyll ; AVP ;	4	

11. 0610\_s21\_ms\_42 Q: 2

Question	Answer	Marks	Guidance
(a)	(dietary) fibre / carbohydrate / starch / (named) sugar / vitamin C ;	1	
(b)(i)	external ears / pinnae ; fur ;	2	

Question	Answer	Marks	Guidance
(b)(ii)	<p><i>any five from:</i></p> <p><i>for (giant panda closer to red panda):</i>  same diet / herbivores / AW ;  terrestrial / similar, ecosystems / habitats ;  fur markings described ;  ear position ;</p> <p><i>against:</i>  shorter (branch) distance between giant panda and polar bear (than to red panda) ;  fewer, DNA (base sequence) / gene, differences between giant panda and polar bear (than to red panda) ;  (red panda) first appeared, 40±3 <u>million</u> rather than 20±3 <u>million, years</u> ago (giant and polar) ;  more time for, mutations / evolution (for red panda) ;  common, ancestor / branch / relationship, 20±3 <u>million</u>, (giant and polar), than 47±3 <u>million years</u> ago (red) ;  DNA data is likely to be more, accurate / quantitative / not subjective ;</p>	5	
(b)(iii)	anatomy / ability to produce fertile offspring / AVP ;	1	

12. 0610\_w22\_ms\_41 Q: 1

Question	Answer	Marks	Guidance																
(a)(i)	mechanical / physical, digestion ;	1																	
(a)(ii)	<u>enamel</u> ;	1																	
(a)(iii)	<i>any three from:</i> sugar / food / plaque, left on teeth ; respiration (of sugar) by bacteria ; produce (lactic) acid ; dissolves, enamel / dentine / AW ; AVP ;	3	e.g. dentine is exposed / AW or dentine, is softer / dissolves more rapidly (than enamel) or ref. to, pulp / nerve endings, being exposed or (decay reaches nerve endings) leading to pain																
(b)(i)	<table><tr><td><i>Orcinus orca</i></td><td><b>E</b></td></tr><tr><td><i>Myrmecophaga tridactyla</i></td><td><b>F</b></td></tr><tr><td><i>Cervus elephus</i></td><td><b>G</b></td></tr><tr><td>Go to 5</td><td></td></tr><tr><td><i>Macropus rufus</i></td><td><b>B</b></td></tr><tr><td><i>Equus ferus</i></td><td><b>A</b></td></tr><tr><td><i>Lemur catta</i></td><td><b>C</b></td></tr><tr><td><i>Pteropus niger</i></td><td><b>D</b></td></tr></table>	<i>Orcinus orca</i>	<b>E</b>	<i>Myrmecophaga tridactyla</i>	<b>F</b>	<i>Cervus elephus</i>	<b>G</b>	Go to 5		<i>Macropus rufus</i>	<b>B</b>	<i>Equus ferus</i>	<b>A</b>	<i>Lemur catta</i>	<b>C</b>	<i>Pteropus niger</i>	<b>D</b>	4	7 correct = 4 marks 5 or 6 correct = 3 marks 3 or 4 correct = 2 marks 1 or 2 correct = 1 mark
<i>Orcinus orca</i>	<b>E</b>																		
<i>Myrmecophaga tridactyla</i>	<b>F</b>																		
<i>Cervus elephus</i>	<b>G</b>																		
Go to 5																			
<i>Macropus rufus</i>	<b>B</b>																		
<i>Equus ferus</i>	<b>A</b>																		
<i>Lemur catta</i>	<b>C</b>																		
<i>Pteropus niger</i>	<b>D</b>																		

Question	Answer	Marks	Guidance
(b)(ii)	<i>any two from:</i> double circulation ; four-chambered heart ; lungs / any named part of lungs ; diaphragm ; red blood cells without nuclei ; AVP ;	2	
(b)(iii)	vertebrates ;	1	

13. 0610\_w20\_ms\_42 Q: 2

Question	Answer	Marks	Guidance
(a)	<b>A</b> enamel ; <b>B</b> dentine ; <b>C</b> pulp / pulp cavity / nerve / sensory neurone / capillaries / blood vessels ; <b>D</b> gum ;	4	

Question	Answer	Marks	Guidance
(b)	<u>mechanical</u> / <u>physical</u> , digestion ; crushes food / chewing / grinds food / breaks food into smaller pieces ; increases surface area of food ; for (named) enzyme action / chemical digestion ; AVP ; e.g. mix food with saliva	3	
(c)	(named) food remains on teeth ; bacteria, use / breakdown, sugars / carbohydrate / sweet foods ; <u>respiration</u> ; acid is produced ; acid, dissolves / erodes / destroys / wears away / AW, enamel ; dentine is exposed / AW ; dentine, softer / dissolves more rapidly (than enamel) ; AVP ; e.g. decay reaches nerve endings leading to pain	4	


14. 0610\_s18\_ms\_42 Q: 1

	Answer	Mark	Partial Marks
(a)(i)	<b>A</b> dentine <b>B</b> cement <b>C</b> incisors <b>D</b> canine(s) <b>E</b> premolars <b>F</b> molars  ...	3	6 / 5 correct = 3 marks 3 / 4 = 2 marks 1 / 2 = 1 mark
(a)(ii)	<u>mechanical</u> ;	1	
(b)(i)	acid ;	1	<b>A</b> carbon dioxide
(b)(ii)	enamel ; dentine ;	2	
(c)	(named) sugar ;	1	

15. 0610\_s17\_ms\_42 Q: 4

	Answer	Mark	Partial Marks
(a)	<ol style="list-style-type: none"> <li>all, nutrients / components ;</li> <li>nutrients in correct, proportions / amounts ;</li> <li>at least three named 'components' ;</li> <li>to maintain health ;</li> <li>appropriate energy requirements / AW ;</li> <li>different requirements according to, age / sex / lifestyle / pregnancy ;</li> </ol>	3	A prevent (named) deficiencies
(b)	<ol style="list-style-type: none"> <li>lack of growth / low body weight / weight loss ;</li> <li>(described) effect on, hair / skin / nails ;</li> <li>diarrhoea / vomiting ;</li> <li>fatigue ;</li> <li>muscle wasting ;</li> <li>(more) prone to, infections / disease ;</li> </ol>	3	A dehydration A irritable / dizzy / weak / AW A muscle weakness A wounds heal slowly
(c)	<p><i>description</i></p> <ol style="list-style-type: none"> <li>marasmus child lower mass than healthy child, initially / AW ;</li> <li>initial (rapid) increase in mass of child with marasmus ;</li> <li>then trend almost follows increase of healthy children ;</li> <li>later / AW, marasmus child is similar to / heavier than, healthy child ;</li> <li>comparative data in children's mass with units stated at least once ;</li> <li>comparative data of milk with units stated at least once ;;</li> </ol> <p><i>explanation</i></p> <ol style="list-style-type: none"> <li>protein required for, new cells / muscle / repair ;</li> <li>carbohydrates / fats, required for, energy / respiration ;</li> <li>fats required for, insulation / cell membranes / protecting organs / neurones ;</li> <li>treatment for marasmus / AW, has more, (named) nutrients / energy ;</li> <li>marasmus child encouraged to drink as much as possible ;</li> <li>nutrients are required (for children) for, <u>growth</u> ;</li> </ol>	6	MP 4 A masses of both children crossover / are the same at 16.6 months MP 4 A any stated time after 16.5 months
(d)	<ol style="list-style-type: none"> <li>emulsification ;</li> <li>increased surface area of fats ;</li> <li>for lipase ;</li> <li>neutralises (stomach) acid / chyme / provide suitable pH (for lipase) ;</li> <li>speeds up digestion (of fats) ;</li> </ol>	3	A description  A makes chyme alkaline / AW

16. 0610\_s23\_ms\_41 Q: 1

Question	Answer	Marks	Guidance
(a)	K ; C ; K ; H ; H ;	5	
(b)(i)	<i>any four from:</i> pH decreases / (solution) becomes acidic ; (pH changes because) fatty acids are produced ; lipase, digests / breaks down, fat ; fatty acids, produced / AW, faster in test-tube C than B ; bile, <u>emulsifies</u> fats / converts large particles of fat to small particles ; bile increases the surface area (for lipase action) ;	4	
(b)(ii)	compare with tubes B and C to assess effect of lipase and / or bile ; shows that bile, does not (chemically) digest fats / does not make solution acidic ; shows that, lipase / enzyme, is required (for breakdown of fats in milk) ;	2	A control (experiment)
(c)	line drawn showing that decrease after optimum is steeper than increase ; <b>MP1</b> - line does not have to start at the origin or end at the x-axis  label line to point where line meets the x-axis and label indicating that all the lipase is denatured / AW ; <b>MP2</b> - line must meet the x-axis	2	
(d)	<i>any three from:</i> ref to <u>specificity</u> ; (only) substrate for lipase is fat (molecules) ; <u>shape</u> of active site is, not <u>complementary</u> to protein / <u>complementary</u> to fat ; protein cannot, fit into / bind to, active site / lipase / enzyme ; enzyme-substrate complexes cannot be formed ;	3	

